

THE SIGN OF QUALITY PRODUCTS

FINEN



Cabinet & Server Rack Systems

www.finen.net

Company Introduction

Founded in 2012, Beijing Finen Electronic Equipment Co., Ltd is a manufacturing enterprise of mainly producing and selling network cabinet and server rack. With headquarter located in Beijing, Finen has totally 3 factories in China. The total covering area is around 98,000 square meters. The production capacity is 30,000 sets per month.

Finen has many world- leading CNC equipment, including Amada CNC turret punching, automatic material storage machine, CNC bending machine, and Germany Trumpf fiber laser cutting machine. These CNC equipment can do operation automatically in the whole 24 hours, ensuring the production efficiency and product quality, and greatly reducing the product cost.

The company aim to 'Excellent design, Excellent manufacture, Excellent service' with our professional technologies, production expertise and spirit of innovation, we can assure you that our products will meet your requirement..In addition, we have obtained ISO , CE and Rohs certificates.

Scientific management, advanced equipment, professional technical team and modern production mode ensure the reliability of every Finen product.



Declaration of Conformity

The submitted sample of the following equipment has been tested for CE marking according to the Low Voltage Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this Directive.

Applicant name & address	: Beijing Fine Electronic Equipment Co., Ltd. No.9 Pinggu Street, Xingde Development Zone, Pinggu District, Beijing, China
Manufacturer & address	: Beijing Fine Electronic Equipment Co., Ltd. No.9 Pinggu Street, Xingde Development Zone, Pinggu District, Beijing, China
Product	: Network Cabinet

Model/type reference

WM01-WM02-WM03-WM04-WM05-WM06-WM07-WM08-WM09-WM10-WM11-WM12-WM13-WM14-WM15-WM16-WM17-WM18-WM19-WM20-WM21-WM22-WM23-WM24-WM25-WM26-WM27-WM28-WM29-WM30-WM31-WM32-WM33-WM34-WM35-WM36-WM37-WM38-WM39-WM40-WM41-WM42-WM43-WM44-WM45-WM46-WM47-WM48-WM49-WM50-WM51-WM52-WM53-WM54-WM55-WM56-WM57-WM58-WM59-WM60-WM61-WM62-WM63-WM64-WM65-WM66-WM67-WM68-WM69-WM70-WM71-WM72-WM73-WM74-WM75-WM76-WM77-WM78-WM79-WM80-WM81-WM82-WM83-WM84-WM85-WM86-WM87-WM88-WM89-WM90-WM91-WM92-WM93-WM94-WM95-WM96-WM97-WM98-WM99-WM100-WM101-WM102-WM103-WM104-WM105-WM106-WM107-WM108-WM109-WM110-WM111-WM112-WM113-WM114-WM115-WM116-WM117-WM118-WM119-WM120-WM121-WM122-WM123-WM124-WM125-WM126-WM127-WM128-WM129-WM130-WM131-WM132-WM133-WM134-WM135-WM136-WM137-WM138-WM139-WM140-WM141-WM142-WM143-WM144-WM145-WM146-WM147-WM148-WM149-WM150-WM151-WM152-WM153-WM154-WM155-WM156-WM157-WM158-WM159-WM160-WM161-WM162-WM163-WM164-WM165-WM166-WM167-WM168-WM169-WM170-WM171-WM172-WM173-WM174-WM175-WM176-WM177-WM178-WM179-WM180-WM181-WM182-WM183-WM184-WM185-WM186-WM187-WM188-WM189-WM190-WM191-WM192-WM193-WM194-WM195-WM196-WM197-WM198-WM199-WM200-WM201-WM202-WM203-WM204-WM205-WM206-WM207-WM208-WM209-WM210-WM211-WM212-WM213-WM214-WM215-WM216-WM217-WM218-WM219-WM220-WM221-WM222-WM223-WM224-WM225-WM226-WM227-WM228-WM229-WM230-WM231-WM232-WM233-WM234-WM235-WM236-WM237-WM238-WM239-WM240-WM241-WM242-WM243-WM244-WM245-WM246-WM247-WM248-WM249-WM250-WM251-WM252-WM253-WM254-WM255-WM256-WM257-WM258-WM259-WM260-WM261-WM262-WM263-WM264-WM265-WM266-WM267-WM268-WM269-WM270-WM271-WM272-WM273-WM274-WM275-WM276-WM277-WM278-WM279-WM280-WM281-WM282-WM283-WM284-WM285-WM286-WM287-WM288-WM289-WM290-WM291-WM292-WM293-WM294-WM295-WM296-WM297-WM298-WM299-WM300-WM301-WM302-WM303-WM304-WM305-WM306-WM307-WM308-WM309-WM310-WM311-WM312-WM313-WM314-WM315-WM316-WM317-WM318-WM319-WM320-WM321-WM322-WM323-WM324-WM325-WM326-WM327-WM328-WM329-WM330-WM331-WM332-WM333-WM334-WM335-WM336-WM337-WM338-WM339-WM340-WM341-WM342-WM343-WM344-WM345-WM346-WM347-WM348-WM349-WM350-WM351-WM352-WM353-WM354-WM355-WM356-WM357-WM358-WM359-WM360-WM361-WM362-WM363-WM364-WM365-WM366-WM367-WM368-WM369-WM370-WM371-WM372-WM373-WM374-WM375-WM376-WM377-WM378-WM379-WM380-WM381-WM382-WM383-WM384-WM385-WM386-WM387-WM388-WM389-WM390-WM391-WM392-WM393-WM394-WM395-WM396-WM397-WM398-WM399-WM400-WM401-WM402-WM403-WM404-WM405-WM406-WM407-WM408-WM409-WM410-WM411-WM412-WM413-WM414-WM415-WM416-WM417-WM418-WM419-WM420-WM421-WM422-WM423-WM424-WM425-WM426-WM427-WM428-WM429-WM430-WM431-WM432-WM433-WM434-WM435-WM436-WM437-WM438-WM439-WM440-WM441-WM442-WM443-WM444-WM445-WM446-WM447-WM448-WM449-WM450-WM451-WM452-WM453-WM454-WM455-WM456-WM457-WM458-WM459-WM460-WM461-WM462-WM463-WM464-WM465-WM466-WM467-WM468-WM469-WM470-WM471-WM472-WM473-WM474-WM475-WM476-WM477-WM478-WM479-WM480-WM481-WM482-WM483-WM484-WM485-WM486-WM487-WM488-WM489-WM490-WM491-WM492-WM493-WM494-WM495-WM496-WM497-WM498-WM499-WM500-WM501-WM502-WM503-WM504-WM505-WM506-WM507-WM508-WM509-WM510-WM511-WM512-WM513-WM514-WM515-WM516-WM517-WM518-WM519-WM520-WM521-WM522-WM523-WM524-WM525-WM526-WM527-WM528-WM529-WM530-WM531-WM532-WM533-WM534-WM535-WM536-WM537-WM538-WM539-WM540-WM541-WM542-WM543-WM544-WM545-WM546-WM547-WM548-WM549-WM550-WM551-WM552-WM553-WM554-WM555-WM556-WM557-WM558-WM559-WM560-WM561-WM562-WM563-WM564-WM565-WM566-WM567-WM568-WM569-WM570-WM571-WM572-WM573-WM574-WM575-WM576-WM577-WM578-WM579-WM580-WM581-WM582-WM583-WM584-WM585-WM586-WM587-WM588-WM589-WM590-WM591-WM592-WM593-WM594-WM595-WM596-WM597-WM598-WM599-WM600-WM601-WM602-WM603-WM604-WM605-WM606-WM607-WM608-WM609-WM610-WM611-WM612-WM613-WM614-WM615-WM616-WM617-WM618-WM619-WM620-WM621-WM622-WM623-WM624-WM625-WM626-WM627-WM628-WM629-WM630-WM631-WM632-WM633-WM634-WM635-WM636-WM637-WM638-WM639-WM640-WM641-WM642-WM643-WM644-WM645-WM646-WM647-WM648-WM649-WM650-WM651-WM652-WM653-WM654-WM655-WM656-WM657-WM658-WM659-WM660-WM661-WM662-WM663-WM664-WM665-WM666-WM667-WM668-WM669-WM670-WM671-WM672-WM673-WM674-WM675-WM676-WM677-WM678-WM679-WM680-WM681-WM682-WM683-WM684-WM685-WM686-WM687-WM688-WM689-WM690-WM691-WM692-WM693-WM694-WM695-WM696-WM697-WM698-WM699-WM700-WM701-WM702-WM703-WM704-WM705-WM706-WM707-WM708-WM709-WM710-WM711-WM712-WM713-WM714-WM715-WM716-WM717-WM718-WM719-WM720-WM721-WM722-WM723-WM724-WM725-WM726-WM727-WM728-WM729-WM730-WM731-WM732-WM733-WM734-WM735-WM736-WM737-WM738-WM739-WM740-WM741-WM742-WM743-WM744-WM745-WM746-WM747-WM748-WM749-WM750-WM751-WM752-WM753-WM754-WM755-WM756-WM757-WM758-WM759-WM760-WM761-WM762-WM763-WM764-WM765-WM766-WM767-WM768-WM769-WM770-WM771-WM772-WM773-WM774-WM775-WM776-WM777-WM778-WM779-WM780-WM781-WM782-WM783-WM784-WM785-WM786-W



外观设计专利证书



外观设计名称：网络购物图标

设计人：刘建平

设计单位：北京世纪伟业科技发展有限公司

发明人姓名：刘建平 22 件

专利权人：刘建平

公告号：ZL 2013 1018 1221

本外观设计专利系刘建平依法享有的外观设计专利权的证明文件，经已获专利权的，则是依法享有的外观设计专利权的证明。外观设计专利权的保护范围，是指以权利要求书和说明书为准，并以其附图中的技术方案为准。

本外观设计专利权的保护范围，自公告之日起，至专利权人依法享有的外观设计专利权期限届满之日止。发明专利权的保护范围，自公告之日起，至专利权人依法享有的发明专利权期限届满之日止。发明专利权的保护范围，自公告之日起，至专利权人依法享有的发明专利权期限届满之日止。

本外观设计专利权的保护范围，自公告之日起，至专利权人依法享有的外观设计专利权期限届满之日止。

本外观设计专利权的保护范围，自公告之日起，至专利权人依法享有的外观设计专利权期限届满之日止。


本外观设计专利权的保护范围，自公告之日起，至专利权人依法享有的外观设计专利权期限届满之日止。

局长 申长雨

副局长 申长雨



中华人民共和国国家知识产权局





ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 00120E3254R1M1100

We hereby certify that
Beijing Finen Electronic Equipment Co., Ltd.
No.2, Xingyu East Road, District A Xingyu, Pinggu Park, Zhongguang Science and
Technology Park, Pinggu District, Beijing, China

by reason of its
Environmental Management System
has been awarded this certificate for compliance with the standard
GB/T 24001-2016/ISO 14001:2015
The Environmental Management System Applies in the following area:

High Volt Low Voltage Switchgear and Medium Cabinet, Server Cabinet, Console, Multimedia Platform, Shipped
Iron Cabinet, Cabinet Related Metal Parts Production, Communication Equipment, Hardware Sales and Related
Management Activities

Certified since: **August 17, 2017** Valid from: **August 9, 2020** Valid until: **August 16, 2023**

After a surveillance cycle, the certificate is valid if the company used together with an International Network of Surveillance Audit issued by CQC.
Please arrange your next visit on or after the following validity of the certificate.
This certificate and its renewal information is open to the public under the supervision and administration of the People's
Republic of China (see www.cqc.com.cn).


MEMBER OF
INTERNATIONAL
FEDERATION
OF CERTIFICATION
BODIES


MEMBER OF
CHINA NATIONAL
ACCREDITATION
SYSTEM


— CQC —
CHINA QUALITY CERTIFICATION CENTRE



CHINA QUALITY CERTIFICATION CENTRE
Section 1, No. 188, Zhongguang Road, Section 4, Pinggu Park, Zhongguang Science and Technology Park, Pinggu District, Beijing 101615, China
<http://www.cqc.com.cn>

A 00742502018年8月

The image shows a formal Occupational Health and Safety Management System Certificate issued by the China Quality Certification Centre (CQC). The certificate is framed by a decorative border. At the top center is the CQC logo, which consists of a globe with the letters 'CQC' in the center. Below the logo, the title 'OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT SYSTEM CERTIFICATE' is printed in large, bold, black capital letters. Underneath the title, the certificate number 'Certificate No. 0012053202SHW1100' is listed. The text 'We hereby certify that' is followed by the name of the certified entity, 'Kingma Electronic Equipment Co., Ltd.', and its address: 'No.2 Jingguo East Road, District A Jingsu, Pingguo Jingsu, Zhongguancun Science and Technology Park, Pingguo District, Beijing, China'. The certificate is awarded for compliance with the standard 'GB/T 45001-2020 / ISO45001:2018'. It specifies the scope of certification as 'The Occupational Health and Safety Management activities in the following area: High and Low Voltage Switchgear and Network Cabinet, Server Cabinet, Console, Multimedia Platform, Shaped Iron Cabinet, Cabinet Related Metal Parts Production, Communication Equipment, Hardware Sales and Related Management Activities'. The validity period is from August 18, 2017, to August 18, 2020. At the bottom, there are three logos: the CNAS logo on the left, the CQC logo in the center, and the China Quality Certification Centre logo on the right. The text 'Issued by: Lu Min' is printed below the CQC logo. The bottom of the certificate features the text 'CHINA QUALITY CERTIFICATION CENTRE' and its full address: 'Section 9, No.185, Nanxinshuihe South Fourth Ring Road, Xiliu West Road, Beijing 100070, China'. A small note at the bottom left states 'B 0020342' and a date '2018年8月' is printed at the bottom right.

**OCCUPATIONAL HEALTH AND SAFETY
MANAGEMENT SYSTEM CERTIFICATE**

Certificate No. 0012053202SHW1100

We hereby certify that

Kingma Electronic Equipment Co., Ltd.
No.2 Jingguo East Road, District A Jingsu, Pingguo Jingsu, Zhongguancun Science and Technology Park, Pingguo District, Beijing, China

has been awarded this certificate for compliance with the standard
GB/T 45001-2020 / ISO45001:2018

The Occupational Health and Safety Management activities in the following area:
High and Low Voltage Switchgear and Network Cabinet, Server Cabinet, Console, Multimedia Platform, Shaped Iron Cabinet, Cabinet Related Metal Parts Production, Communication Equipment, Hardware Sales and Related Management Activities

Certified since: August 18, 2017 Valid from: August 18, 2020 Valid until: August 18, 2023

After a surveillance cycle, the certificate is valid only when used together with an Assurance Notice of Surveillance Audit issued by CQC.

Please ensure when you can on for checking validity of the certificate.
This certificate and its related information shall apply to the activities of Configuration and Accreditation Administration of the People's Republic of China (www.cnca.gov.cn)

CQC
CHINA QUALITY CERTIFICATION CENTRE
CHINA CERTIFICATION

Issued by: Lu Min

CHINA QUALITY CERTIFICATION CENTRE
Section 9, No.185, Nanxinshuihe South Fourth Ring Road, Xiliu West Road, Beijing 100070, China
http://www.cqc.com.cn

B 0020342 2018年8月

CQC

**QUALITY MANAGEMENT SYSTEM
CERTIFICATE**

Certificate No. 00120Q3598R1M1/1100

We hereby certify that

Beijing Finen Electronic Equipment Co., Ltd.

Unitel Super Credit Card: 911571197004171460

No.2, Xingyu East Road, District A Xingyu, Pinggu Park, Zhongruancun Science and
Technology Park, Pinggu District, Beijing, China

by reason of its
Quality Management System

has been awarded this certificate for compliance with the standard
GB/T 19001-2016 / ISO 9001:2015

The Quality Management System applies in the following areas:

High and Low Voltage Switchgear and Network Cabinet, Server Cabinet, Console, Multimedia Platform,
Shaped iron Cabinet, Cabinet Related Metal Parts Production, Communication Equipment, Hardware Sales

Certified since: August 17, 2017 Valid from: August 7, 2020 Valid until: August 16, 2023

After a surveillance visit, the certificate is valid only when used together with an Accreditation Notice of Surveillance Audit issued by CQC.
Please access www.cqc.com.cn for details of the validity of this certificate.
This certificate and its relevant information can query in the website of Accreditation and Accreditation Administration of the People's
Republic of China (www.cnca.org.cn)

IAF **CNAS** **中国合格评定国家认可委员会** **中国认证认可协会** **IC-Net** **INTERNET CERTIFICATION**

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.108, Nanshaobei South Fourth Ring Road, Beijing 100070, China
http://www.cqc.com.cn

2018年8月





中国认可
国际互认
检测
TESTING
CNAS L0670

No.1 B22X80883

TEST REPORT

Product Name: Server Cabinet

Model: F-ZP

Client: Beijing Finen Electronic Equipment Co. Ltd.

Manufacturer: Beijing Finen Electronic Equipment Co. Ltd.

Type of Test: Seismic Test

China Telecommunication Technology Labs
China Academy of Information and Communications Technology



Alibaba.com

Verified

Alibaba.com

Gold Plus Supplier Assessment Certificate

Certification No.: 143451833_P+T

Beijing Finen Electronic Equipment Co., Ltd.

北京富耐恩电子设备有限公司

<http://bjfinen.en.alibaba.com>

Onsite assessment was conducted by SGS

Valid: 16 Mar., 2023 to 15 Mar., 2024

Issued by Alibaba.com®

Assessed by

Signature: _____
Title: Director of SGS eCommerce, Government&Institution Services,SIS CHN

TTL

CAICT

ILAC-MRA

CNAS

中国认可
国际互认
CNAS
TESTING
CNAS L0570

No. K22X80884

TEST REPORT

Product Name: Server Cabinet

Model: F-ZP

Client: Beijing Finen Electronic Equipment Co. Ltd.

Manufacturer: Beijing Finen Electronic Equipment Co. Ltd.

Type of Test: Seismic Test

China Telecommunication Technology Labs
China Academy of Information and Communications Technology
Seismic Quality Supervision and Test Center of
Telecommunications Equipment for Information Industry

WS SERIES



General Features:

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard.
- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock off hole for entering cable on both top cover, bottom panel, rear panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled

Thickness Options:

WS: 1.5-1.0-0.8mm
WH: 1.5-1.2-1.0mm
WB: 1.0-0.6mm

Color options:

RAL9004(Black) and RAL7035(Grey)

Front door options:

Glass/Mesh/Metal

Accessories options:

1 fan and 2 fans have ability to easily connect top of the cabinet.
Shelf, PDU, Locks for side panel

	Product code	Product Name	U	Size (W*D*H) (mm)
600x450 Series	WS6404	FINEN 19" WALL MOUNT CABINET	4	600*450*280
	WS6406	FINEN 19" WALL MOUNT CABINET	6	600*450*368
	WS6409	FINEN 19" WALL MOUNT CABINET	9	600*450*501
	WS6412	FINEN 19" WALL MOUNT CABINET	12	600*450*635
	WS6415	FINEN 19" WALL MOUNT CABINET	15	600*450*769
	WS6418	FINEN 19" WALL MOUNT CABINET	18	600*450*901
600x600 Series	WS6604	FINEN 19" WALL MOUNT CABINET	4	600*600*280
	WS6606	FINEN 19" WALL MOUNT CABINET	6	600*600*368
	WS6609	FINEN 19" WALL MOUNT CABINET	9	600*600*501
	WS6612	FINEN 19" WALL MOUNT CABINET	12	600*600*635
	WS6615	FINEN 19" WALL MOUNT CABINET	15	600*600*769
	WS6618	FINEN 19" WALL MOUNT CABINET	18	600*600*901

WMG SERIES



General Features:

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard.
- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock off hole for entering cable on both top cover, bottom panel, rear panel
- Turning angle of front door and swing panel is over 180 degrees, It is convenient to check the equipment from back side.
- The cabinets can be delivered as disassembled or assembled

Thickness Options:

WMG: 1.5-1.0-0.8mm

Color options:

RAL9004(Black) and RAL7035(Grey)

Front door options:

Glass/Mesh/Metal

Accessories options:

1 fan and 2 fans have ability to easily connect top of the cabinet.

Shelf , PDU, Locks for side panel

	Product code	Product Name	U	Size (W*D*H) (mm)
600x(450+100)Series	WMG6404	FINEN 19" WALL MOUNT CABINET	4	600*(450+100)*280
	WMG6406	FINEN 19" WALL MOUNT CABINET	6	600*(450+100)*368
	WMG6409	FINEN 19" WALL MOUNT CABINET	9	600*(450+100)*501
	WMG6412	FINEN 19" WALL MOUNT CABINET	12	600*(450+100)*635
	WMG6415	FINEN 19" WALL MOUNT CABINET	15	600*(450+100)*769
	WMG6418	FINEN 19" WALL MOUNT CABINET	18	600*(450+100)*901
600x(500+100) Series	WMG6604	FINEN 19" WALL MOUNT CABINET	4	600*(500+100)*280
	WMG6606	FINEN 19" WALL MOUNT CABINET	6	600*(500+100)*368
	WMG6609	FINEN 19" WALL MOUNT CABINET	9	600*(500+100)*501
	WMG6612	FINEN 19" WALL MOUNT CABINET	12	600*(500+100)*635
	WMG6615	FINEN 19" WALL MOUNT CABINET	15	600*(500+100)*769
	WMG6618	FINEN 19" WALL MOUNT CABINET	18	600*(500+100)*901

W1 SERIES



★ *Removable side panel,
Non-removable rear panel*

General Features:

- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- Material: SPCC Cold Rolled Steel
- Size: 540*400mm
- Thickness Options: 1.0-0.6mm
- Color options: RAL9004(Black)/RAL7035(Grey)
- Front door options: Glass
- Accessories options: fan, Shelf , PDU
- The cabinets can be delivered as disassembled or assembled

	Product code	Product Name	U	Size (W*D*H) (mm)
540x400 Series	W1-5404	FINEN 19" ECONOMIC WALL MOUNT CABINET	4	540*400*280
	W1-5406	FINEN 19" ECONOMIC WALL MOUNT CABINET	6	540*400*368
	W1-5409	FINEN 19" ECONOMIC WALL MOUNT CABINET	9	540*400*501

W4 SERIES

General Features:

- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- Material: SPCC Cold Rolled Steel
- Size: 540*400mm
- Thickness Options: 1.0-0.6mm
- Color options: RAL9004(Black)/RAL7035(Grey)
- Front door options: Glass
- Accessories options: fan, Shelf , PDU
- The cabinets can be delivered assembled



★ *Removable rear panel,
Non-removable side panel*

	Product code	Product Name	U	Size (W*D*H) (mm)
540x400 Series	W4-5404	FINEN 19" ECONOMIC WALL MOUNT CABINET	4	540*400*280
	W4-5406	FINEN 19" ECONOMIC WALL MOUNT CABINET	6	540*400*368
	W4-5409	FINEN 19" ECONOMIC WALL MOUNT CABINET	9	540*400*501

2U Cabinet



General Features:

- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- Material: SPCC Cold Rolled Steel
- Size: 540*400mm
- Thickness Options: 1.0-0.6mm
- Color options: RAL9004(Black)/RAL7035(Grey)
- Front door options: Glass
- Accessories options: fan, plate
- The cabinets can be delivered as assembled

Product code	Product Name	U	Size (W*D*H) (mm)
WX-5402	FINEN 19" SOHO CABINET	2	540*400*140

Cash Drawer

General Features:

- 3-Position Key Lock
- Currency layout: 8 bills, removable 4 adjustable coin slots
- Material: SPCC Cold Rolled Steel+ABS
- Size: 405*410*110mm
- Color options: Black/White
- Voltage: 12V
- Interface: RJ11



Product code	Product Name	Size (W*D*H) (mm)	Weight
CD	FINEN 19" CASH DRAWER	405*410*110	5.2KG

FS SERIES



General Features:

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard.
- Removable Side Panels.
- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock off hole for entering cable on both top cover, bottom panel, rear panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled

Thickness Options:

FS/FP: 2.0-1.2-1.0mm

F: 2.0-1.5-1.2mm

F3: 1.5-1.0-0.8mm

Color options:

RAL9005(Black) and RAL7035(Grey)

Front door options:

Glass/Mesh/Metal

Rear door options:

Mesh/Metal/Double mesh

Accessories options:

Fan, Shelf, PDU, Locks for side panel,

FS SERIES

Specification

Model No.	Capacity	Width	Depth	Height	Volume	Standard accessories
	(U)	(mm)	(mm)	(mm)	(CBM)	4xfan and 1 shelf included; (2xfan for 600mm width rack)
FS.6618	18	600	600	987	0.131	
FS.6818			800		0.152	
FS.6018			1000		0.182	
FS.8818		800	800		0.212	
FS.8018			1000		0.240	
FS.6622	22	600	600	1164	0.146	
FS.6822			800		0.169	
FS.6022			1000		0.202	
FS.8822		800	800		0.238	
FS.8022			1000		0.267	
FS.6627	27	600	600	1387	0.166	
FS.6827			800		0.189	
FS.6027			1000		0.227	
FS.8827		800	800		0.268	
FS.8027			1000		0.299	
FS.6632	32	600	600	1609	0.186	
FS.6832			800		0.211	
FS.6032			1000		0.252	
FS.8832		800	800		0.301	
FS.8032			1000		0.333	
FS.6637	37	600	600	1832	0.229	
FS.6837			800		0.265	
FS.6037			1000		0.315	
FS.8837		800	800		0.364	
FS.8037			1000		0.405	
FS.6642	42	600	600	2054	0.248	
FS.6842			800		0.285	
FS.6042			1000		0.339	
FS.8842		800	800		0.394	
FS.8042			1000		0.437	
FS.6647	47	600	600	2276	0.291	
FS.6847			800		0.339	
FS.6047			1000		0.402	
FS.8847		800	800		0.457	
FS.8047			1000		0.509	

H1 SERIES



General Features:

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GB/T3047.2-92 standard.
- Nine-fold section steel frame
- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- 2-fan, 4-fan, 6-fan modules have the ability to easily connect top of the product;
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock off hole for entering cable on both top cover, bottom panel, rear panel
- Turning angle of front door is over 180 degrees
- **The cabinets can be only delivered by assembled package**

Thickness Options:

2.0-1.5-1.2mm

Color options:

RAL9005(Black) and RAL7035(Grey)

Front door: Single Perforated

Rear door: Single Perforated for 600mm width racks and double doors for 800mm width racks

Accessories options:

Shelf, PDU, Locks for side panel

Available sizes:

Height: 18U 22U 24U 27U 32U 37U 42U 47U

Width: 600mm/800mm

Depth: 600mm/800mm/1000mm/1200mm

H3 SERIES



General Features:

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard.
- It has ability to assemble all kind of electronic devices which are suitable of 19" standard.
- 2-fan,4-fan,6-fan modules have the ability to easily connect top of the product;
- Material: SPCC Cold Rolled Steel
- Surface Finish:Powder coating
- Knock off hole for entering cable on both top cover, bottom panel,rear panel
- Turning angle of front door is over 180 degrees
- The cabinets can be only delivered by assembled package

Thickness Options:

2.0-1.5-1.2mm

Color options:

RAL9005(Black) and RAL7035(Grey)

Front door: Single Perforated

Rear door: Double Perforated

Accessories options:

Shelf , PDU, Locks for side panel

Model	Capacity	Width	Depth	Height
	(U)	(mm)	(mm)	(mm)
H36042	42U	600	1070	1947
H37542		750		

WALL MOUNT OPEN RACK



General Features:

- **VERSATILE:** 4U,6U, 9U, 12U and 15U options allow you to scale to job requirements.
- **EFFICIENT:** The open frame enables maximum airflow and easy overall access for installations and maintenance.
- **CABLE MANAGEMENT:** The design incorporates cable management options such as rear slots for cable ties as well as holes for cable management rings.
- **DURABLE:** Constructed of heavy duty Cold Rolled Steel with double reinforced wall-anchor mounting holes to achieve the highest load capacity to support heavy A/V equipment, such as amplifiers.

Standard:

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GBIT3047.2-92 standard.

Features:

- 19 inch width standard;
- Unassembled package saving shipping space

Material:

- SPCC Cold Rolled Steel
- Surface Finish: Powder coating

Model No.	Capacity	Product Name	Depth (mm)
OR4U	4u	FINEN 19" WALL MOUNT OPEN RACK	600
OR6U	6u	FINEN 19" WALL MOUNT OPEN RACK	600
OR9U	9u	FINEN 19" WALL MOUNT OPEN RACK	600
OR12U	12u	FINEN 19" WALL MOUNT OPEN RACK	600
OR15U	15u	FINEN 19" WALL MOUNT OPEN RACK	600
OR18U	18u	FINEN 19" WALL MOUNT OPEN RACK	600

2-POST OPEN RACK



General Features:


- *Standard:Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GBIT3047.2-92 standard.*
- *Material: SPCC Cold Rolled Steel*
- *Color options: RAL9004(Black)/RAL7035(Grey)*
- *Surface Finish:Powder coating*
- *Accessories options: Shelf,PDU and L-Rails*
- *Unassembled package saving shipping space*

Product code	Product Name	U	Size (W*H) (mm)
OR218	FINEN 19" 2-POST OPEN RACK	18	600*987
OR222	FINEN 19" 2-POST OPEN RACK	22	600*1165
OR227	FINEN 19" 2-POST OPEN RACK	27	600*1387
OR232	FINEN 19" 2-POST OPEN RACK	32	600*1610
OR237	FINEN 19" 2-POST OPEN RACK	37	600*1831
OR242	FINEN 19" 2-POST OPEN RACK	42	600*2053

4-POST OPEN RACK

General Features:

- *Standard:Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GBIT3047.2-92 standard.*
- *Material: SPCC Cold Rolled Steel*
- *Color options: RAL9004(Black)/RAL7035(Grey)*
- *Surface Finish:Powder coating*
- *Accessories options: Shelf,PDU and L-Rails*
- *Unassembled package saving shipping space*




Product code	Product Name	U	Size (W*H) (mm)
OR418	FINEN 19" 4-POST OPEN RACK	18	600*987
OR422	FINEN 19" 4-POST OPEN RACK	22	600*1165
OR427	FINEN 19" 4-POST OPEN RACK	27	600*1387
OR432	FINEN 19" 4-POST OPEN RACK	32	600*1610
OR437	FINEN 19" 4-POST OPEN RACK	37	600*1831
OR442	FINEN 19" 4-POST OPEN RACK	42	600*2053

ACCESSORIES

Shelves

Shelves can be easily assemble into the cabinets for holding the equipment which are less than 19 inch standard



• Fixed Shelves

The fixed shelf is perfect for supporting non-rack mountable IT equipment such as UPS's, battery backups, servers, routers, hubs, and more.



• Cantilever Shelves

This cantilever shelf is perfect for supporting non-rack mountable equipment such as tower computers, satellite boxes, monitors, and UPS's.



• Sliding Shelves

The Sliding Shelf is perfect for servers, keyboards, KVM's, switches, or any other component that you want the ability to slide out, either for convenience or to access the back of the equipment.



• Keyboard Drawer

The Keyboard drawer is perfect for keyboards, KVM's, or any other component that you want the ability to slide out, either for convenience or to access the back of the equipment.



L Bracket

L bracket can be easiely assemble into the cabinets for holding the equipment which are less than 19 inch standard,which can instead of shelf

Brush Panel

Brush Panel easy to install and suitable for various cables. Protect the cabinet from dust inside.



Blank Panel

1U-4U Blank Panel not only makes racks look neat, clean, and organized, but when installed properly they provide added support to the mounting rails.

Cable Manager

The Cable Manager gives installers and network technicians a flexible and functional cable management bracket that will easily manage all types of cables.

12 port/16 port/24 port/5 ring



ACCESSORIES

Fans

Fan Assembly Kit helps to remove ambient heat that rackmount components can emit. Circulating new air into a wall mount cabinet or server enclosure helps to maintain the optimal temperature for devices such as servers, battery backups, and UPS's.



Single fan



Fan groups

Others



Small Round Lock




Handle Lock



Caster with braker



Leveling feet



Grounding Wire



M6 Screws and Nut

PATCH PANEL



Application:		Mechanical Characteristics	
Horizontal Distribution & Backbone Cabling		Current Rating	1.5 Amps
Material		Insulation Resistance:	500 Megaohm
Panel	Cold rolled steel (thickness1.5mm)	DC Resistance:	0.1 ohm MAX
Back Bar	Cold rolled steel (thickness1.5mm)	Contact Resistance	20 Mili-ohm
Housing	ABS	IDC Contact	Phosphor Bronze
Spring Wire	Phosphor Bronze With Gold-plated 3u -50 u	IDC Holder	High Impact PC
IDC Contact	Phosphor Bronze	Voltage:	150 VAC MAX
IDC Holder	High Impact PC	Temperature:	— 60~80 °C
		Humidity	10%-90% RH
		IDC Accept:	22-26 AWG Solid Wire



PN-UTP5E24



PN-UTP624



PN-UTP6A24



PN-FTP5E24



PN-FTP624



PN-FTP6A24

ACCESSORIES

Power Distribution Unit

A power distribution unit (**PDU**) or is a device fitted with multiple outputs designed to distribute electric power, especially to racks of computers and networking equipment located within a data center.



ITEM	DETAILS DESCRIPTION			
	US Standard	UK Standard	EU Standard	Universal
Material	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy
Color	Black	Black	Black	Black
Sockets	6/8/16ways	6/8/16ways	6/8/16ways	6/8/16ways
Product Size	6/8ways 1U 483 x 44 x 44 mm	6/8ways 1.5U 483 x 44 x 66 mm	6/8ways 1U 483 x 44 x 44 mm	6/8ways 1U 483 x 44 x 44 mm
	16ways 1U 865 x 44 x 44mm	16ways 1.5U 1000 x 44 x 66mm	16ways 1U 930 x 44 x 44mm	16ways 1U 865 x 44 x 44mm
Package Size	6ways 510 x 55 x 93mm	6ways 510 x 55 x 93mm	6ways 510 x 55 x 93mm	6ways 510 x 55 x 93mm
	16ways 984 x 55 x 102mm	16ways 1050 x 55 x 102mm	16ways 984 x 55 x 102mm	16ways 984 x 55 x 102mm
Weight	0.86kg	1.05kg	0.87kg	0.86kg (16wys1.3kg)
Install	Horizontal	Horizontal	Horizontal	Horizontal
Cable	VDE 3G*1.5m ² *2m	VDE 3G*1.5m ² *2m	VDE 3G*1.5m ² *2m	VDE 3G*1.5m ² *2m
Current	110V, 50-60HZ	220-250V, 50-60HZ	220-250V, 50-60HZ	220-250V, 50-60HZ
Voltage	10A/16A	10A/16A	10A/16A	10A/16A
Max out put power	3500W	3500W	3500W	3500W
Control indicating function	ON-OFF Switch Overload protection	ON-OFF Switch Overload protection (Except 8ways PDU)	ON-OFF Switch Overload protection	ON-OFF Switch Overload protection

Agent/Distributor Welcome

OEM Welcome

ODM Welcome

FINEN

THE SIGN OF QUALITY PRODUCTS

Add:No.2.Xinggu East rd,Xinggu Development Zone,Pinggu District,Beijing,China